



Access and Examine Landsat Land Cover (LC) Over the Sao Francisco Verdadeiro (SFV) Watershed

Amita Mehta

1 December 2017

Objectives

By the end of this exercise, you will be able to select, download, and analyze tree cover and bare ground data over the Sao Francisco Verdadeiro (SFV) watershed using the Landsat Land Cover (LC) portal and QGIS

Requirements

- QGIS installed on your computer
 - https://arset.gsfc.nasa.gov/sites/default/files/water/drought/Introduction %20to%20QGIS.pdf
- A shapefile for the Sao Francisco Verdadeiro watershed saved on your computer
 - http://arset.gsfc.nasa.gov/

Outline

- Part 1: Select and Download Landsat Land Cover Data
- Part 2: Examine Tree Cover and Bare Ground Extent Using QGIS

Note

- Bare ground and tree cover data are in per pixel percent coverage based on 2000-2012 annual Land Cover
 - Bare soil cover is based on growing season coverage and represents minimum value
 - Tree cover is based on canopy cover within each pixel for trees 5 m or taller*
- Water mask data is also available
 - Provides an overview of long-term mean water masks, areas dominated by tree cover, areas that may be bare ground, or other types of land cover over the SFV watershed







Part 1: Select and Download Landsat Land Cover Data

- On your computer make a folder named Land-Cover
- 2. Go to https://landcover.usgs.gov/glc/
- 3. You will see links to Global 30 m Tree Cover, Global 30 m Water, and Global 30 m Bare Ground data
- 4. Click on **Get Data** on top of the Global 30 m Tree Cover
- 5. Click on Individual Download
- You will see a list of data files in 10° tiles covering the globe



- 7. Scroll down to the tile for 20°S and 60°W that contains the SFV watershed
- 8. Click on the link and save the file on your computer **as zip archive (with .zip)**
- You will get a file named
 20S_060W_treecover2010_v3.zip
- 10. Click on the file name to unzip the data and you will get a folder **Stornext** with the following sub-folders:

```
▼ scienceweb1

▼ development

▼ gtc

▼ downloads

► treecover2010_v3
```

```
20S 020E treecover20.> 2017-01-28 01:39 167M
   20S 020W treecover20..> 2017-01-28 01:11 1.3M
   20S 030E treecover20.> 2017-01-28 01:45 201M
   20S 030W treecover20..> 2017-01-28 01:06 1.3M
   20S 040E treecover20.> 2017-01-28 00:18 115M
   20S 040W treecover20..> 2017-01-27 23:50 1.3M
   20S 050E treecover20.> 2017-01-28 00:22 4.3M
   20S 050W treecover20..> 2017-01-27 23:43 180M
20S 060E treecover20.> 2017-01-27 18:17 1.3M
  20S 060W treecover20..> 2017-01-27 17:24 407M
   20S 070E treecover20.> 2017-01-27 18:09 1.3M
   20S 070W treecover20..> 2017-01-27 17:35 279M
   20S 080E treecover20..> 2017-01-28 02:23 1.3M
   20S 080W treecover20..> 2017-01-28 02:04 1.4M
   20S 090E treecover20..> 2017-01-28 02:20 1.3M
   20S 090W treecover20..> 2017-01-28 02:12 1.3M
```



- 11. In the treecover2010_v3 sub-folder you will have the tree cover data tile 20\$_060W_treecover2010_v3.tif
- 12. Move the

 20\$_060W_treecover2010_v3.tif to
 the Land-Cover folder on your
 computer

- 13. Go back to https://landcover.usgs.gov/glc/ and click **Get Data** over **Global 30 m Water**
- 14. When you click on **Individual Download** you will see that the file names are different **(Hansen_GFC2013—)**, but moving the curser on the file name will show the full name with latitude-longitude of the tile included in the file

- 14. Follow Steps 7-12 to save the file

 Hansen_GFC2013_datamask_20S_060W

 .tif containing water mask, in the LandCover folder on your computer
 - Note: be sure to download the file with the extension .tif.zip from the site
- 15. Repeat Steps 2-12 for the **Global 30 m bare ground** data
- 16. Save the file **20S_060W_bare2010_v3** in the Land-Cover folder
- 17. At the end of this part you will have the data files to the right in the Land-Cover Folder

```
20S 030W bare2010 v3...> 2017-01-28 06:20 1.3M
20S 040E bare2010 v3...> 2017-01-28 05:48 112M
20S 040W bare2010 v3...> 2017-01-28 11:43 1.3M
20S 050E bare2010 v3...> 2017-01-28 09:41 2.2M
20S 050W bare2010 v3...> 2017-01-28 03:46 83M
20S 060E bare2010 v3...> 2017-01-28 12:40 1.3M
20S 060W bare2010 v3...> 2017-01-28 06:49 193M
20S 070W bare2010 v3...> 2017-01-28 08:43 1.3M
20S 070W bare2010 v3...> 2017-01-28 14:44 291M
20S 080E bare2010 v3...> 2017-01-28 14:39 1.3M
20S 080W bare2010 v3...> 2017-01-28 08:42 20M
20S 090E bare2010 v3...> 2017-01-28 06:52 1.3M
20S 090W bare2010 v3...> 2017-01-28 06:52 1.3M
20S 090W bare2010 v3...> 2017-01-28 12:41 1.3M
```

- 20S_060W_bare2010_v3.tif
- 20S_060W_treecover2010_v3.tif
- Hansen_GFC2013_datamask_20S_060W.tif






Part 2: Examine Tree Cover and Bare Ground Extent Using QGIS

- Open QGIS and start a new project
- From the top menu, click on Web, select Open Layer
 Plugin and select the background map
 OpenStreetMap

If you do not have the OpenLayers Plugin


- Select Plugins from the top menu, and choose Manage and Install Plugins
- You will get a window with options for Plugins
- Enter OpenLayers in the search window
- Clicking on the OpenLayers Plugin and press Install in the bottom right






- Click on the menu on the left bar and click Add Vector to add the SFV shapefile: sfv_4326.shp
- 4. To make the shapefile transparent with only the border left, right click on the layer file and go to **Properties** > **Style**
- 5. Click on the down arrow in the Fill window and select Transparent fill

- 6. Click on the down arrow in the **Outline** window and choose a color of the shapefile boundary (This example uses purple)
- 7. Set the **outline width** to be 2.0
- 8. Click **OK** to get the following result in the QGIS window






- 9. Next click on the **Add Raster** function on the left
- 10. Navigate to the Land-Cover folder and click to open
 - 20S_060W_treecover2010_v3.tif data file
- 11. You will see the GeoTIFF images appear in grayscale
- 12. Now clip the tree cover raster layer to the SFV shapefile
- 13. This is a raster with large dimension, so we will clip this data in two steps






- 14.On the top bar go to Raster > Extraction > Clipper to open the Clipper options window
- 15. You will see **Extent** selected in the window
- 16. Enter Output file name by clicking on Select (Suggestion: tree-Clipped1.tif)
- 17. Drag the cursor across the map so that just the area around the shapefile is covered




- 18. You will then see the rectangular clipped layer on the map
- 19. You can uncheck or remove the previous layer
 - Right click on the raster name in the Layer Panel > Remove
- 20. Now clip the pre-clipped layer to the SFV shapefile
- 21.On the top menu, go to **Raster** > **Extraction** > **Clipper** to open the Clipper options window





- 22. In the Input File (raster) window select the rectangular, clipped file: **Tree-Clipped1**
- 23. In the Output file window select output folder and enter file name (Suggestion: **Tree-Clipped2**)
- 24. Check the Mask Layer and in the Mask Layer window select the shapefile named sfv_4326
- 25. Click **OK** on at the bottom right.
 - You should see the data clipped by the shapefile boundary
- 26. To create a colored tree cover map, right click on the clipped raster layer
- 27. Go to Properties > Style


- 28. Select the **Render Type** as **Singleband Pseudocolor**
- 29. Next to **Color**, make sure the color palette is green by selecting (**Greens**)
- 30. Select **Min** value to 0 % and **Max** value to 100%
- 31. Below the color display, change the **Mode** to **Equal Interval** and **Classes** to 11. Click **Classify**, then click **Apply**.
- 32. Click **OK** to close the Change Color box



- 33. Make the clipped tree cover layers transparent to see the map underneath and to mask 0% values
- 34. Right click on the layer file and go to **Properties > Transparency**
- 35. Set the **Transparency** level to 50%
- 36. Under **No data value** enter 0 in **Additional no data value**
- 37. Click **Apply** and then **OK**

- 39. Repeat steps 9-11 but use the raster layer of bare ground cover from file Land-Cover/20S_060W_bare2010_v3.tif
- 40. Repeat Steps 12-25 with the two-step clipping of the raster layer, first with a rectangle and then using the SFV shapefile mask
- 41. Save the final, clipped file as Bare-Clipped2.tif
- 42. Repeat steps 26-32, but use yellow-orange-brown color (YlOrBr), min=0, max=9, with **Mode** set to **Equal Interval** and 10 **Classes**
- 43. Repeat steps 33-37 to make the layer 50% transparent and set **No data** value to 0 for **Additional no data** value

- 44. Display both Tree-Clipped2 and Bare-Clipped2 and examine the spatial land cover patterns
- 45. Add the water mask raster



Discussion Questions

1. Which part of the watershed has more wooded/forest areas in general?

2. What is the maximum per cent of bare ground cover noted on the watershed? Identify areas with large areas of bare ground.

Hint

Examine each layer individually and also note the geographic features in OpneStreetMap